Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e. g., as offprints), as well as all translation rights. No material published in this journal my be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA. Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0012-186X, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona Budapest
Printed in Germany by aprinta Wemding
© Springer-Verlag Berlin Heidelberg 1996
Springer-Verlag GmbH & Co.KG, D-14197 Berlin, Germany

Contents

Full instructions to authors

A 5, A 6

Editorial

Ferrannini, E.: Concerns of an Editor for the Diabetologist 1
Zimmet, P., P. Lefèbvre: The global NIDDM epidemic. Treating the disease and ignoring the symptom 1247

Review

Berger, M.: To bridge science and patient care in diabetes 749
Eizirik, D. L., M. Flodström, A. E. Karlsen, N. Welsh: The harmony of the spheres: inducible nitric oxide synthase and related genes in pancreatic beta cells 875
Landgraf, R.: Impact of pancreas transplantation on diabetic secondary complications and quality of life 1415
Leibowitz, G., E. Cerasi: Sulphonylurea treatment of NIDDM patients with cardiovascular disease: a mixed blessing? 503
Maassen, J. A., T. Kadowaki: Maternally inherited diabetes and deafness: a new diabetes subtype 375
Mandrup-Poulsen, T.: The role of interleukin-1 in the pathogenesis of IDDM 1005
Storlien, L. H., L. A. Baur, A. D. Kriketos, D. A. Pan, G. J. Cooney, A. B. Jenkins, G. D. Calvert, L. V. Campbell: Dietary fats and insulin action 621

Originals

Abe, H., A. Bandai, M. Makuuchi, Y. Idezuki, M. Nozawa, T. Oka, J. Osuga, Y. Watanabe, T. Inaba, N. Yamada: Hyperinsulinaemia accelerates accumulation of cholesterol ester in aorta of rats with transplanted pancreas 1276
Agardh, D., L. K. Gaur, E. Agardh, M. Landin-Olsson, C.-D. Agardh, Å. Lernmark: HLA-DQB1*0201/0302 is associated with severe retinopathy in patients with IDDM 1313
Ahrén, B., G. Sundkvist, H. Mulder, F. Sundler: Blockade of muscarinic transmission increases the frequency of diabetes after low-dose alloxan challenge in the mouse 383
Auer, R. N., L. G. Anderson: Hypoglycaemic brain damage: effect of a dihydropyridine calcium channel antagonist in rats 129
Bagdade, J. D., M. Ritter, P. V. Subbaiah: Marine lipids normalize cholesteryl ester transfer in IDDM 487
Bähr, M., M. Spelleken, M. Bock, M. von Holtey, R. Kiehn, J. Eckel: Acute and chronic effects of troglitazone (CS-045) on isolated rat ventricular cardiomyocytes 766
Bakillah, A., A. M. Grigorova-Borsos, R. Guillot, P. Urios, M. Sternberg: Effect of an aldose reductase inhibitor on type IV collagen production by human endothelial cells cultured in high glucose 641
Becker, D. J., B. Reul, A. T. Ozcelikay, J. P. Buchet, J.-C. Henquin, S. M. Brichard: Oral selenate improves glucose homeostasis and partly reverses abnormal expression of liver glycolytic and gluconeogenic enzymes in diabetic rats 3
Bianda, T. L., M. A. Hussain, A. Keller, Y. Glatz, O. Schmitz, J. S. Christiansen, K. G. M. M. Alberti, E. R. Froesch: Insulin-like growth factor-I in man enhances lipid mobilization and oxida-

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e. g., as offprints), as well as all translation rights. No material published in this journal my be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA. Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0012-186X, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona Budapest
Printed in Germany by aprinta Wemding
© Springer-Verlag Berlin Heidelberg 1996
Springer-Verlag GmbH & Co.KG, D-14197 Berlin, Germany

Contents

Full instructions to authors

A 5, A 6

Editorial

Ferrannini, E.: Concerns of an Editor for the Diabetologist 1
Zimmet, P., P. Lefèbvre: The global NIDDM epidemic. Treating the disease and ignoring the symptom 1247

Review

Berger, M.: To bridge science and patient care in diabetes 749
Eizirik, D. L., M. Flodström, A. E. Karlsen, N. Welsh: The harmony of the spheres: inducible nitric oxide synthase and related genes in pancreatic beta cells 875
Landgraf, R.: Impact of pancreas transplantation on diabetic secondary complications and quality of life 1415
Leibowitz, G., E. Cerasi: Sulphonylurea treatment of NIDDM patients with cardiovascular disease: a mixed blessing? 503
Maassen, J. A., T. Kadowaki: Maternally inherited diabetes and deafness: a new diabetes subtype 375
Mandrup-Poulsen, T.: The role of interleukin-1 in the pathogenesis of IDDM 1005
Storlien, L. H., L. A. Baur, A. D. Kriketos, D. A. Pan, G. J. Cooney, A. B. Jenkins, G. D. Calvert, L. V. Campbell: Dietary fats and insulin action 621

Originals

Abe, H., A. Bandai, M. Makuuchi, Y. Idezuki, M. Nozawa, T. Oka, J. Osuga, Y. Watanabe, T. Inaba, N. Yamada: Hyperinsulinaemia accelerates accumulation of cholesterol ester in aorta of rats with transplanted pancreas 1276
Agardh, D., L. K. Gaur, E. Agardh, M. Landin-Olsson, C.-D. Agardh, Å. Lernmark: HLA-DQB1*0201/0302 is associated with severe retinopathy in patients with IDDM 1313
Ahrén, B., G. Sundkvist, H. Mulder, F. Sundler: Blockade of muscarinic transmission increases the frequency of diabetes after low-dose alloxan challenge in the mouse 383
Auer, R. N., L. G. Anderson: Hypoglycaemic brain damage: effect of a dihydropyridine calcium channel antagonist in rats 129
Bagdade, J. D., M. Ritter, P. V. Subbaiah: Marine lipids normalize cholesteryl ester transfer in IDDM 487
Bähr, M., M. Spelleken, M. Bock, M. von Holtey, R. Kiehn, J. Eckel: Acute and chronic effects of troglitazone (CS-045) on isolated rat ventricular cardiomyocytes 766
Bakillah, A., A. M. Grigorova-Borsos, R. Guillot, P. Urios, M. Sternberg: Effect of an aldose reductase inhibitor on type IV collagen production by human endothelial cells cultured in high glucose 641
Becker, D. J., B. Reul, A. T. Ozcelikay, J. P. Buchet, J.-C. Henquin, S. M. Brichard: Oral selenate improves glucose homeostasis and partly reverses abnormal expression of liver glycolytic and gluconeogenic enzymes in diabetic rats 3
Bianda, T. L., M. A. Hussain, A. Keller, Y. Glatz, O. Schmitz, J. S. Christiansen, K. G. M. M. Alberti, E. R. Froesch: Insulin-like growth factor-I in man enhances lipid mobilization and oxida-

tion induced by a growth hormone pulse 961
Bijlstra, P. J., J. A. Lutterman, F. G. M. Russel, T. Thien, P. Smits: Interaction of sulphonylurea derivatives with vascular ATP-sensitive potassium channels in humans 1083
Bolinder, J., S. Sjöberg, P. Arner: Stimulation of adipose tissue lipolysis following insulin-induced hypoglycaemia: evidence of increased beta-adrenoceptor-mediated lipolytic response in IDDM 845
Bortoluzzi, M.-N., M. Cormont, N. Gautier, E. Van Obberghen, Y. Le Marchand-Brustel: GTPase activating protein activity for Rab4 is enriched in the plasma membrane of 3T3-L1 adipocytes. Possible involvement in the regulation of Rab4 subcellular localization 899
Bowes, S. B., T. R. Hennessy, A. M. Umpleby, J. J. Benn, N. C. Jackson, M. A. Boroujerdi, P. H. Sönksen, C. Lowy: Measurement of glucose metabolism and insulin secretion during normal pregnancy and pregnancy complicated by gestational diabetes 976
Brandt, R., C. Landmesser, L. Vogt, B. Hehmke, R. Hanschke, J. Kasbohm, K. Hartmann, B. Jäger, S. Krantz, D. Michaelis: Differential expression of fructosyllysine-specific receptors on monocytes and macrophages and possible pathophysiological significance 1140
Bressler, P., S. R. Bailey, M. Matsuda, R. A. DeFronzo: Insulin resistance and coronary artery disease 1345
Burg, M. P. M. van der, O. R. Guicherit, J. B. M. J. Jansen, M. Frölich, C. B. H. W. Lamers, H. H. P. J. Lemkes, J. A. Bruijn, H. G. Gooszen: Function and survival of intrasplenic islet autografts in dogs 37
Buschard, K., T. Horn, K. Aaen, K. Josefsen, H. Persson, P. Fredman: Presence of sulphatide (3′-sulphogalactosylceramide) in pericytes in the choroid layer of the eye: sharing of this glycolipid autoantigen with islets of Langerhans 658
Cameron, N. E., M. A. Cotter: Comparison of the effects of ascorbyl γ-linolenic acid and γ-linolenic acid in the correction of neurovascular deficits in diabetic rats 1047
Cameron, N. E., M. A. Cotter, T. C. Hohman: Interactions between essential fatty acid, prostanoid, polyol pathway and nitric oxide mechanisms in the neurovascular deficit of diabetic rats 172
Caprio, S., M. Bronson, R. S. Sherwin, F. Rife, W. V. Tamborlane: Co-existence of severe insulin resistance and hyperinsulinaemia in pre-adolescent obese children 1489
Ceriello, A., C. Taboga, L. Tonutti, R. Giacomello, L. Stel, E. Motz, M. Pirisi: Post-meal coagulation activation in diabetes mellitus: the effect of acarbose 469
Chaillous, L., S. Darquy, S. Maugendre, A.-S. Rivereau, G. Reach, P. Saï: Xenografts of porcine islets immunoprotected in hollow fibres reduce the incidence of diabetes in non-obese diabetic mice 523
Chowdhury, T. A., M. J. Dronsfield, S. Kumar, S. L. C. Gough, S. P. Gibson, A. Khatoon, F. MacDonald, B. R. Rowe, D. B. Dunger, J. D. Dean, S. J. Davies, J. Webber, P. R. Smith, P. Mackin, S. M. Marshall, D. Adu, P. J. M. Morris, J. A. Todd, A. H. Barnett, A. J. M. Boulton, S. C. Bain: Examination of two genetic polymorphisms within the renin-angiotensin system: no evidence for an association with nephropathy in IDDM 1108
Christie, A. W., D. K. T. McCormick, N. Emmison, F. B. Kraemer, K. G. M. M. Alberti, S. J. Yeaman: Mechanism of anti-lipolytic action of acipimox in isolated rat adipocytes 45
Clément, K., M. E. Pueyo, M. Vaxillaire, B. Rakotoambinina, F. Thuillier, Ph. Passa, Ph. Froguel, J.-J. Robert, G. Velho: Assessment of insulin sensitivity in glucokinase-deficient subjects 82
Cohen, M. P., R. S. Clements, J. A. Cohen, C. W. Shearman: Prevention of decline in renal function in the diabetic *db/db* mouse 270
Damert, A., B. Leibiger, I. B. Leibiger: Dual function of the intron of the rat insulin I gene in regulation of gene expression 1165
Deerochanawong, C., C. Putiyanun, M. Wongsuryrat, S. Serirat, P. Jinayon: Comparison of National Diabetes Data Group and World Health Organization criteria for detecting gestational diabetes mellitus 1070
Dheen, S. T., K. Rajkumar, L. J. Murphy: Effects of insulin-like growth factors (IGF) on pancreatic islet function in IGF binding protein-1 transgenic mice 1249
Dimitriadis, E., M. Griffin, P. Collins, A. Johnson, D. Owens, G. H. Tomkin: Lipoprotein composition in NIDDM: effects of dietary oleic acid on the composition, oxidisability and function of low and high density lipoproteins 667
Doi, Y., H. Yoshizumi, M. Yoshinari, K. Iino, M. Yamamoto, K. Ichikawa, M. Iwase, M. Fujishima: Association between a polymorphism in the angiotensin-converting enzyme gene and microvascular complications in Japanese patients with NIDDM 97
Doria, A., J. Lee, J. H. Warram, A. S. Krolewski: Diabetes susceptibility at *IDDM2* cannot be positively mapped to the VNTR locus of the insulin gene 594
Dorrestijn, J., D. M. Ouwens, N. Van den Berghe, J. L. Bos, J. A. Maassen: Expression of a dominant-negative Ras mutant does not affect stimulation of glucose uptake and glycogen synthesis by insulin 558
Eaton, R. P., C. Qualls, J. Bicknell, W. L. Sibbitt Jr, M. K. King, R. H. Griffey: Structure-function relationships within peripheral nerves in diabetic neuropathy: the hydration hypothesis 439
Eriksson, J. W., P. Lönnroth, B. I. Posner, A. Shaver, C. Wesslau, U. P. G. Smith: A stable peroxovanadium compound with insulin-like action in human fat cells 235
Eriksson, K.-F., F. Lindgärde: Poor physical fitness, and impaired early insulin response but late hyperinsulinaemia, as predictors of NIDDM in middle-aged Swedish men 573
Falorni, A., M. Ackefors, C. Carlberg, T. Daniels, B. Persson, J. Robertson, Å. Lernmark: Diagnostic sensitivity of immunodominant epitopes of glutamic acid decarboxylase (GAD65) autoantibodies in childhood IDDM 1091
Ferrer, J., J. Wasson, L. Salkoff, M. A. Permutt: Cloning of human pancreatic islet large conductance Ca^{2+}-activated K^+ channel (hSlo) cDNAs: evidence for high levels of expression in pancreatic islets and identification of a flanking genetic marker 891
Forster, H. G., P. M. ter Wee, T. C. Hohman, M. Epstein: Impairment of afferent arteriolar myogenic responsiveness in the galactose-fed rat is prevented by tolrestat 907
Frittitta, L., J. Youngren, R. Vigneri, B. A. Maddux, V. Trischitta, I. D. Goldfine: PC-1 content in skeletal muscle of non-obese, non-diabetic subjects: relationship to insulin receptor tyrosine kinase and whole body insulin sensitivity 1190
Gabazza, E. C., H. Takeya, H. Deguchi, Y. Sumida, O. Taguchi, K. Murata, K. Nakatani, Y. Yano, M. Mohri, M. Sata, T. Shima, J. Nishioka, K. Suzuki: Protein C activation in NIDDM patients 1455
Genovese, S., R. Bonfanti, E. Bazzigaluppi, V. Lampasona, E. Benazzi, E. Bosi, G. Chiumello, E. Bonifacio: Association of IA-2 autoantibodies with HLA DR4 phenotypes in IDDM 1223
Goor, Y., G. Peer, A. Iaina, M. Blum, Y. Wollman, T. Chernihovsky, D. Silverberg, S. Cabili: Nitric oxide in

ischaemic acute renal failure of streptozotocin diabetic rats 1036
Gregersen, S., J. L. Thomsen, B. Brock, K. Hermansen: Endothelin-1 stimulates insulin secretion by direct action on the islets of Langerhans in mice 1030
Gugliucci, A., M. Bendayan: Renal fate of circulating advanced glycated end products (AGE): evidence for reabsorption and catabolism of AGE-peptides by renal proximal tubular cells 149
Haffner, S. M., H. Miettinen, S. P. Gaskill, M. P. Stern: Decreased insulin action and insulin secretion predict the development of impaired glucose tolerance 1201
Hammes, H.-P., A. Weiss, D. Führer, H. J. Krämer, C. Papavassilis, F. Grimminger: Acceleration of experimental diabetic retinopathy in the rat by omega-3 fatty acids 251
Hanaire-Broutin, H., B. Sallerin-Caute, M. F. Poncet, M. Tauber, R. Bastide, J. J. Chalé, R. Rosenfeld, J. P. Tauber: Effect of intraperitoneal insulin delivery on growth hormone binding protein, insulin-like growth factor (IGF)-I, and IGF-binding protein-3 in IDDM 1498
Hayashi, T., M. Okamoto, Y. Yoshimasa, G. Inoue, K. Yamada, S. Kono, M. Shigemoto, J. Suga, H. Kuzuya, K. Nakao: Insulin-induced activation of phosphoinositide 3-kinase in Fao cells 515
Hellström, L., D. Langin, S. Reynisdottir, M. Dauzats, P. Arner: Adipocyte lipolysis in normal weight subjects with obesity among first-degree relatives 921
Hoffstedt, J., H. Wahrenberg, A. Thörne, F. Lönnqvist: The metabolic syndrome is related to β_3-adrenoceptor sensitivity in visceral adipose tissue 838
Holmäng, A., E. Jennische, P. Björntorp: Rapid formation of capillary endothelial cells in rat skeletal muscle after exposure to insulin 206
Holness, M. J., M. C. Sugden: Suboptimal protein nutrition in early life later influences insulin action in pregnant rats 12
Horowitz, M., K. M. Cunningham, J. M. Wishart, K. L. Jones, N. W. Read: The effect of short-term dietary supplementation with glucose on gastric emptying of glucose and fructose and oral glucose tolerance in normal subjects 481
Huppertz, C., C. Schwartz, W. Becker, F. Horn, P. C. Heinrich, H.-G. Joost: Comparison of the effects of insulin, PDGF, interleukin-6, and interferon-γ on glucose transport in 3T3-L1 cells: lack of cross-talk between tyrosine kinase receptors and JAK/STAT pathways 1432
Hussain, M. J., M. Peakman, H. Gallati, S. S. S. Lo, M. Hawa, G. C. Viberti, P. J. Watkins, R. D. G. Leslie, D. Vergani: Elevated serum levels of macrophage-derived cytokines precede and accompany the onset of IDDM 60
Igel, M., H. Kainulainen, A. Brauers, W. Becker, L. Herberg, H.-G. Joost: Long-term and rapid regulation of *ob* mRNA levels in adipose tissue from normal (Sprague Dawley rats) and obese (*db/db* mice, *fa/fa* rats) rodents 758
Iino, K., M. Yoshinari, M. Yamamoto, K. Kaku, Y. Doi, K. Ichikawa, M. Iwase, M. Fujishima: Effect of glycated collagen on proliferation of human smooth muscle cells in vitro 800
Isami, S., H. Kishikawa, E. Araki, M. Uehara, K. Kaneko, T. Shirotani, M. Todaka, S. Ura, S. Motoyoshi, K. Matsumoto, N. Miyamura, M. Shichiri: Bradykinin enhances GLUT4 translocation through the increase of insulin receptor tyrosine kinase in primary adipocytes: evidence that bradykinin stimulates the insulin signalling pathway 412
Iwahashi, H., T. Hanafusa, Y. Eguchi, H. Nakajima, J. Miyagawa, N. Itoh, K. Tomita, M. Namba, M. Kuwajima, T. Noguchi, Y. Tsujimoto, Y. Matsuzawa: Cytokine-induced apoptotic cell death in a mouse pancreatic beta-cell line: inhibition by Bcl-2 530
Jehle, P. M., M. P. Lutz, R. D. Fussgaenger: High affinity binding sites for proinsulin in human IM-9 lymphoblasts 421
Johansson, B.-L., K. Borg, E. Fernqvist-Forbes, T. Odergren, S. Remahl, J. Wahren: C-peptide improves autonomic nerve function in IDDM patients 687
Jones, D. B., I. Crosby: Proliferative lymphocyte responses to virus antigens homologous to GAD65 in IDDM 1318
Jörneskog, G., N. Egberg, B. Fagrell, K. Fatah, B. Hessel, H. Johnsson, K. Brismar, M. Blombäck: Altered properties of the fibrin gel structure in patients with IDDM 1519
Kasperska-Czyżyk, T., K. Jedynasty, R. R. Bowsher, D. L. Holloway, I. Stradowska, K. Stepień, R. Nowaczyk, W. Szymczak, A. Czyżyk: Difference in the influence of maternal and paternal NIDDM on pancreatic beta-cell activity and blood lipids in normoglycaemic non-diabetic adult offspring 831
Kibenge, M. T., C. B. Chan: Effect of adrenalectomy on the development of a pancreatic islet lesion in *fa/fa* rats 190
Kobayashi, T., Y. Oka, H. Katagiri, A. Falorni, A. Kasuga, I. Takei, K. Nakanishi, T. Murase, K. Kosaka, Å. Lernmark: Association between HLA and islet cell antibodies in diabetic patients with a mitochondrial DNA mutation at base pair 3243 1196
Kolb, H., U. Wörz-Pagenstert, R. Kleemann, H. Rothe, P. Rowsell, F. W. Scott: Cytokine gene expression in the BB rat pancreas: natural course and impact of bacterial vaccines 1448
Kolterman, O. G., S. Schwartz, C. Corder, B. Levy, L. Klaff, J. Peterson, A. Gottlieb: Effect of 14 days' subcutaneous administration of the human amylin analogue, pramlintide (AC137), on an intravenous insulin challenge and response to a standard liquid meal in patients with IDDM 492
Koopmans, S. J., H. C. M. Sips, H. M. J. Krans, J. K. Radder: Pulsatile intravenous insulin replacement in streptozotocin-diabetic rats is more efficient than continuous delivery: effects on glycaemic control, insulin-mediated glucose metabolism and lipolysis 391
Kumar, S., A. J. M. Boulton, H. Beck-Nielsen, F. Berthezene, M. Muggeo, B. Persson, G. A. Spinas, S. Donoghue, S. Lettis, P. Stewart-Long, for the Troglitazone study group: Troglitazone, an insulin action enhancer, improves metabolic control in NIDDM patients 701
La Selva, M., E. Beltramo, F. Pagnozzi, E. Bena, P. A. Molinatti, G. M. Molinatti, M. Porta: Thiamine corrects delayed replication and decreases production of lactate and advanced glycation endproducts in bovine retinal and human umbilical vein endothelial cells cultured under high glucose conditions 1263
Lahdenperä, S., M. Syvänne, J. Kahri, M.-R. Taskinen: Regulation of low-density lipoprotein particle size distribution in NIDDM and coronary disease: importance of serum triglycerides 453
Larsson, H., B. Ahrén: Failure to adequately adapt reduced insulin sensitivity with increased insulin secretion in women with impaired glucose tolerance 1099
Leibowitz, G., N. Weintrob, A. Pikarsky, Z. Josefsberg, H. Landau, B. Glaser, C. N. Hales, E. Cerasi: Normal proinsulin processing despite beta-cell dysfunction in persistent hyperinsulinaemic hypoglycaemia of infancy (nesidioblastosis) 1338
Li, W., X. Liu, M. Yanoff, S. Cohen, X. Ye: Cultured retinal capillary pericytes die by apoptosis after an abrupt fluctuation from high to low glucose levels: a comparative study with retinal capillary endothelial cells 537
Lindsay, R. S., R. M. Lindsay, B. J. Waddell, J. R. Seckl: Prenatal glucocorti-

coid exposure leads to offspring hyperglycaemia in the rat: studies with the 11β-hydroxysteroid dehydrogenase inhibitor carbenoxolone 1299
Majer, M., D. M. Mott, H. Mochizuki, J. C. Rowles, O. Pedersen, W. C. Knowler, C. Bogardus, M. Prochazka: Association of the glycogen synthase locus on 19q13 with NIDDM in Pima Indians 314
Mally, M. I., V. Cirulli, A. Hayek, T. Otonkoski: ICA69 is expressed equally in the human endocrine and exocrine pancreas 474
Markussen, J., S. Havelund, P. Kurtzhals, A. S. Andersen, J. Halstrøm, E. Hasselager, U. D. Larsen, U. Ribel, L. Schäffer, K. Vad, I. Jonassen: Soluble, fatty acid acylated insulins bind to albumin and show protracted action in pigs 281
Matsushima, M., K. Shimizu, M. Maruyama, R. Nishimura, R. E. LaPorte, N. Tajima for the Diabetes Epidemiology Research International (DERI) US-Japan Mortality Study Group: Socioeconomic and behavioural risk factors for mortality of individuals with IDDM in Japan: population-based case-control study 710
McCormack, L. J., D. K. Nagi, M. H. Stickland, M. W. Mansfield, V. Mohamed-Ali, J. S. Yudkin, W. C. Knowler, P. J. Grant: Promoter (4G/5G) plasminogen activator inhibitor-1 genotype in Pima Indians: relationship to plasminogen activator inhibitor-1 levels and features of the insulin resistance syndrome 1512
McEvoy, R. C., N. M. Thomas, F. Greig, S. Larson, I. Vargas-Rodriguez, I. Felix, E. Wallach, P. Rubinstein, F. C. Goetz, F. Ginsberg-Fellner: Anti-islet autoantibodies detected by monoclonal antibody 1A2: further studies suggesting a role in the pathogenesis of IDDM 1365
Mooy, J. M., P. A. Grootenhuis, H. de Vries, P. J. Kostense, C. Popp-Snijders, L. M. Bouter, R. J. Heine: Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study 298
Moriya, T., S. Ohno, K. Tanaka, Y. Fujii, Y. Yajima: Effects of early insulin treatment on ultrastructural changes of glomeruli in diabetic rats revealed by the quick-freezing and deep-etching method 632
Mühlhauser, I., K. Prange, P. T. Sawicki, R. Bender, A. Dworschak, W. Schaden, M. Berger: Effects of dietary sodium on blood pressure in IDDM patients with nephropathy 212
Mulder, H., B. Ahrén, F. Sundler: Islet amyloid polypeptide (amylin) and insulin are differentially expressed in chronic diabetes induced by streptozotocin in rats 649
Myrsén, U., B. Keymeulen, D. G. Pipeleers, F. Sundler: Beta cells are important for islet innervation: evidence from purified rat islet-cell grafts 54
Nelson, R. G., D. J. Pettitt, M. P. de Courten, R. L. Hanson, W. C. Knowler, P. H. Bennett: Parental hypertension and proteinuria in Pima Indians with NIDDM 433
New, J. P., J. P. Canavan, A. Flyvbjerg, G. Hamon, R. W. Bilous, S. M. Marshall: Renal enlargement and insulin-like growth factor-1 accumulation in the Wistar rat model of experimental diabetes is not prevented by angiotensin converting enzyme inhibition 166
Nijpels, G., C. Popp-Snijders, P. J. Kostense, L. M. Bouter, R. J. Heine: Fasting proinsulin and 2-h post-load glucose levels predict the conversion to NIDDM in subjects with impaired glucose tolerance: The Hoorn Study 113
Nolan, C. J., J. Proietto: The set point for maternal glucose homeostasis is lowered during late pregnancy in the rat: the role of the islet beta-cell and liver 785
Nyholm, B., A. Mengel, S. Nielsen, Ch. Skjærbæk, N. Møller, K. G. M. M. Alberti, O. Schmitz: Insulin resistance in relatives of NIDDM patients: the role of physical fitness and muscle metabolism 813
Odetti, P., N. Traverso, L. Cosso, G. Noberasco, M. A. Pronzato, U. M. Marinari: Good glycaemic control reduces oxidation and glycation end-products in collagen of diabetic rats 1440
Ohtomo, Y., A. Aperia, B. Sahlgren, B.-L. Johansson, J. Wahren: C-peptide stimulates rat renal tubular Na^+, K^+-ATPase activity in synergism with neuropeptide Y 199
Ørskov, L., J. F. Bak, N. Abildgård, O. Schmitz, F. Andreasen, E. A. Richter, C. Skjærbæk, N. Møller: Inhibition of muscle glycogen synthase activity and non-oxidative glucose disposal during hypoglycaemia in normal man 226
Ørskov, L., J. J. Holst, J. Møller, C. Ørskov, N. Møller, K. G. M. M. Alberti, O. Schmitz: GLP-1 does not acutely affect insulin sensitivity in healthy man 1227
Ott, A., R. P. Stolk, A. Hofman, F. van Harskamp, D. E. Grobbee, M. M. B. Breteler: Association of diabetes mellitus and dementia: The Rotterdam Study 1392
Pampanelli, S., C. Fanelli, C. Lalli, M. Ciofetta, P. Del Sindaco, M. Lepore, F. Modarelli, A. M. Rambotti, L. Epifano, A. Di Vincenzo, L. Bartocci, B. Annibale, P. Brunetti, G. B. Bolli: Long-term intensive insulin therapy in IDDM: effects on HbA_{1c}, risk for severe and mild hypoglycaemia, status of counterregulation and awareness of hypoglycaemia 677
Pandolfi, A., L. Iacoviello, F. Capani, E. Vitacolonna, M. B. Donati, A. Consoli: Glucose and insulin independently reduce the fibrinolytic potential of human vascular smooth muscle cells in culture 1425
Paquot, N., Ph. Schneiter, E. Jéquier, R. Gaillard, P. J. Lefèbvre, A. Scheen, L. Tappy: Effects of ingested fructose and infused glucagon on endogenous glucose production in obese NIDDM patients, obese non-diabetic subjects, and healthy subjects 580
Patterson, C. C., D. J. Carson, D. R. Hadden on behalf of the Northern Ireland Diabetes Study Group: Epidemiology of childhood IDDM in Northern Ireland 1989–1994: Low incidence in areas with highest population density and most household crowding 1063
Pelikánová, T., I. Smrčková, J. Křížová, J. Stříbrná, V. Lánská: Effects of insulin and lipid emulsion on renal haemodynamics and renal sodium handling in IDDM patients 1074
Petersen, J. S., T. Dyrberg, P. Damm, C. Kühl, L. Mølsted-Pedersen, K. Buschard: GAD65 autoantibodies in women with gestational or insulin dependent diabetes mellitus diagnosed during pregnancy 1329
Pettitt, D. J., K. M. Venkat Narayan, R. L. Hanson, W. C. Knowler: Incidence of diabetes mellitus in women following impaired glucose tolerance in pregnancy is lower than following impaired glucose tolerance in the non-pregnant state 1334
Pfeffer, F., M. A. Nauck, S. Benz, A. Gwodzinski, R. Zink, M. Büsing, H.-D. Becker, U. T. Hopt: Determinants of a normal (versus impaired) oral glucose tolerance after combined pancreas-kidney transplantation in IDDM patients 462
Piatti, P. M., L. D. Monti, S. N. Davis, M. Conti, M. D. Brown, G. Pozza, K. G. M. M. Alberti: Effects of an acute decrease in non-esterified fatty acid levels on muscle glucose utilization and forearm indirect calorimetry in lean NIDDM patients 103
Piddington, R., J. Joyce, P. Dhanasekaran, L. Baker: Diabetes mellitus affects prostaglandin E_2 levels in mouse embryos during neurulation 915
Plater, M. E., I. Ford, M. T. Dent, F. E. Preston, J. D. Ward: Elevated von Willebrand factor antigen predicts deterioration in diabetic peripheral nerve function 336
Polderman, K. H., C. D. A. Stehouwer, G. J. van Kamp, L. J. G. Gooren: Effects

of insulin infusion on endothelium-derived vasoactive substances 1284
Pricci, F., G. Pugliese, P. Menè, G. Romeo, G. Romano, G. Galli, A. Casini, C. M. Rotella, V. Di Mario, F. Pugliese: Regulatory role of eicosanoids in extracellular matrix overproduction induced by long-term exposure to high glucose in cultured rat mesangial cells 1055
Pugliese, G., F. Pricci, N. Locuratolo, G. Romeo, G. Romano, S. Giannini, B. Cresci, G. Galli, C. M. Rotella, U. Di Mario: Increased activity of the insulin-like growth factor system in mesangial cells cultured in high glucose conditions. Relation to glucose-enhanced extracellular matrix production 775
Pulido, N., A. Casla, A. Suárez, B. Casanova, F. J. Arrieta, A. Rovira: Sulphonylurea stimulates glucose uptake in rats through an ATP-sensitive K^+ channel dependent mechanism 22
Quinn, M., M. C. Angelico, J. H. Warram, A. S. Krolewski: Familial factors determine the development of diabetic nephropathy in patients with IDDM 940
Rasmussen, L. M., T. Ledet: Aortic atherosclerosis in diabetes mellitus is associated with an insertion/deletion polymorphism in the angiotensin I-converting enzyme gene. No relation between the polymorphism and aortic collagen content 696
Reichard, P., M. Pihl, U. Rosenqvist, J. Sule: Complications in IDDM are caused by elevated blood glucose level: The Stockholm Diabetes Intervention Study (SDIS) at 10-year follow up 1483
Rewers, M., T. L. Bugawan, J. M. Norris, A. Blair, B. Beaty, M. Hoffman, R. S. McDuffie, Jr., R. F. Hamman, G. Klingensmith, G. S. Eisenbarth, H. A. Erlich: Newborn screening for HLA markers associated with IDDM: Diabetes Autoimmunity Study in the Young (DAISY) 807
Reynet, C., C. R. Kahn, M. R. Loeken: Expression of the gene encoding glycogen phosphorylase is elevated in diabetic rat skeletal muscle and is regulated by insulin and cyclic AMP 183
Rice, T., A. Nadeau, L. Pérusse, C. Bouchard, D. C. Rao: Familial correlations in the Québec family study: cross-trait familial resemblance for body fat with plasma glucose and insulin 1357
Rosenberg, L., A. I. Vinik, G. L. Pittenger, R. Rafaeloff, W. P. Duguid: Islet-cell regeneration in the diabetic hamster pancreas with restoration of normoglycaemia can be induced by a local growth factor(s) 256
Rüger, B. M., Q. Hasan, N. S. Greenhill, P. F. Davis, P. R. Dunbar, T. J. Neale: Mast cells and type VIII collagen in human diabetic nephropathy 1215
Russo, A., R. Fraser, M. Horowitz: The effect of acute hyperglycaemia on small intestinal motility in normal subjects 984
Sagara, M., J. Satoh, R. Wada, S. Yagihashi, K. Takahashi, M. Fukuzawa, G. Muto, Y. Muto, T. Toyota: Inhibition of development of peripheral neuropathy in streptozotocin-induced diabetic rats with N-acetylcysteine 263
Saker, P. J., A. T. Hattersley, B. Barrow, M. S. Hammersley, J.-A. McLellan, Y.-M. D. Lo, R. J. Olds, M. D. Gillmer, R. R. Holman, R. C. Turner: High prevalence of a missense mutation of the glucokinase gene in gestational diabetic patients due to a founder-effect in a local population 1325
Sánchez-Quesada, J. L., A. Pérez, A. Caixàs, J. Ordónmez-Llanos, G. Carreras, A. Payés, F. González-Sastre, A. de Leiva: Electronegative low density lipoprotein subform is increased in patients with short-duration IDDM and is closely related to glycaemic control 1469
Sawicki, P. T., R. Dähne, R. Bender, M. Berger: Prolonged QT interval as a predictor of mortality in diabetic nephropathy 77
Sbraccia, P., M. D'Adamo, F. Leonetti, S. Caiola, P. Iozzo, A. Giaccari, A. Buongiorno, G. Tamburrano: Chronic primary hyperinsulinaemia is associated with altered insulin receptor mRNA splicing in muscle of patients with insulinoma 220
Scheen, A. J., J. Sturis, K. S. Polonsky, E. Van Cauter: Alterations in the ultradian oscillations of insulin secretion and plasma glucose in aging 564
Schnell, O., D. Muhr, S. Dresel, K. Tatsch, A. G. Ziegler, M. Haslbeck, E. Standl: Autoantibodies against sympathetic ganglia and evidence of cardiac sympathetic dysinnervation in newly diagnosed and long-term IDDM patients 970
Seissler, J., N. G. Morgenthaler, P. Achenbach, E. F. Lampeter, D. Glawe, M. Payton, M. Christie, W. A. Scherbaum and the DENIS Study Group: Combined screening for autoantibodies to IA-2 and antibodies to glutamic acid decarboxylase in first degree relatives of patients with IDDM 1351
Sellins, K. S., D. P. Gold, D. Bellgrau: Resistance to tolerance induction in the diabetes-prone Biobreeding rat as one manifestation of abnormal responses to superantigens 28
Sesti, G., R. D'Alfonso, M. D. Vargas Punti, A. N. Tullio, Y. Y. Liu, M. Federici, P. Borboni, M. A. Marini, R. Lauro, A. Fusco: Delayed intracellular dissociation of the insulin-receptor complex impairs receptor recycling and insulin processing in cultured Epstein-Barr virus-transformed lymphocytes from insulin-resistant subjects 289
Sims, T. J., L. M. Rasmussen, H. Oxlund, A. J. Bailey: The role of glycation cross-links in diabetic vascular stiffening 946
Spraul, M., E. Ravussin, A. D. Baron: Lack of relationship between muscle sympathetic nerve activity and skeletal muscle vasodilation in response to insulin infusion 91
Stephenson, J. M., P. Kempler, P. Cavallo Perin, J. H. Fuller and the EURODIAB IDDM Complications Study Group: Is autonomic neuropathy a risk factor for severe hypoglycaemia? The EURODIAB IDDM Complications Study 1372
Stümpel, F., T. Kucera, R. Bazotte, G. P. Püschel: Loss of regulation by sympathetic hepatic nerves of liver metabolism and haemodynamics in chronically streptozotocin-diabetic rats 161
Suzuki, N., K. Svensson, U. J. Eriksson: High glucose concentration inhibits migration of rat cranial neural crest cells in vitro 401
Tanizawa, Y., A. Matsubara, K. Ueda, H. Katagiri, A. Kuwano, J. Ferrer, M. A. Permutt, Y. Oka: A human pancreatic islet inwardly rectifying potassium channel: cDNA cloning, determination of the genomic structure and genetic variations in Japanese NIDDM patients 447
Taylor, R. W., R. L. Printz, M. Armstrong, D. K. Granner, K. G. M. M. Alberti, D. M. Turnbull, M. Walker: Variant sequences of the Hexokinase II gene in familial NIDDM 322
Tesfaye, S., L. K. Stevens, J. M. Stephenson, J. H. Fuller, M. Plater, C. Ionescu-Tirgoviste, A. Nuber, G. Pozza, J. D. Ward and the EURODIAB IDDM Study Group: Prevalence of diabetic peripheral neuropathy and its relation to glycaemic control and potential risk factors: the EURODIAB IDDM Complications Study 1377
Tesfaye, S., R. Malik, N. Harris, J. J. Jakubowski, C. Mody, I. G. Rennie, J. D. Ward: Arterio-venous shunting and proliferating new vessels in acute painful neuropathy of rapid glycaemic control (insulin neuritis) 329
Thaiss, F., G. Wolf, N. Assad, G. Zahner, R. A. K. Stahl: Angiotensinase A gene expression and enzyme activity in isolated glomeruli of diabetic rats 275
The Microalbuminuria Captopril Study Group: Captopril reduces the risk of nephropathy in IDDM patients with microalbuminuria 587
Toeller, M., A. Klischan, G. Heitkamp, W. Schumacher, R. Milne, A. Buyken,

B. Karamanos, F. A. Gries and the EURODIAB IDDM Complications Study Group: Nutritional intake of 2868 IDDM patients from 30 centres in Europe 929
Tomonari, A., K. Yoshimoto, M. Tanaka, H. Iwahana, J. Miyazaki, M. Itakura: GGAAAT motifs play a major role in transcriptional activity of the human insulin gene in a pancreatic islet beta-cell line MIN6 1462
Tosaki, A., T. Pali, M.-T. Droy-Lefaix: Effects of Ginkgo biloba extract and preconditioning on the diabetic rat myocardium 1255
Trevisan, R., M. R. Cipollina, E. Duner, M. Trevisan, R. Nosadini: Abnormal Na^+/H^+ antiport activity in cultured fibroblasts from NIDDM patients with hypertension and microalbuminuria 717
Trovati, M., P. Massucco, L. Mattiello, F. Cavalot, E. M. Mularoni, A. W. Hahn, G. Anfossi: Studies on the influence of insulin on cyclic adenosine monophosphate in human vascular smooth muscle cells: dependence on cyclic guanosine monophosphate and modulation of catecholamine effects 1156
Ura, S., E. Araki, H. Kishikawa, T. Shirotani, M. Todaka, S. Isami, S. Shimoda, R. Yoshimura, K. Matsuda, S. Motoyoshi, N. Miyamura, C. R. Kahn, M. Shichiri: Molecular scanning of the insulin receptor substrate-1 (IRS-1) gene in Japanese patients with NIDDM: identification of five novel polymorphisms 600
Utriainen, T., S. Mäkimattila, A. Virkamäki, R. Bergholm, H. Yki-Järvinen: Dissociation between insulin sensitivity of glucose uptake and endothelial function in normal subjects 1477
Vaccaro, O., G. Imperatore, V. Iovino, C. Iovine, A. A. Rivellese, G. Riccardi: Does impaired glucose tolerance predict hypertension? A prospective analysis 70
Valensise, H., Y. Y. Liu, M. Federici, D. Lauro, D. Dell'anna, C. Romanini, G. Sesti: Increased expression of low-affinity insulin receptor isoform and insulin/insulin-like growth factor-I hybrid receptors in term placenta from insulin-resistant women with gestational hypertension 952
Veiga-da-Cunha, M., L. Z. Xu, Y.-H. Lee, D. Marotta, S. J. Pilkis, E. Van Schaftingen: Effect of mutations on the sensitivity of human beta-cell glucokinase to liver regulatory protein 1173
Veves, A., V. M. Donaghue, M. R. Sarnow, J. M. Giurini, D. R. Campbell, F. W. LoGerfo: The impact of reversal of hypoxia by revascularization on the peripheral nerve function of diabetic patients 344
Viana, M., E. Herrera, B. Bonet: Teratogenic effects of diabetes mellitus in the rat. Prevention by vitamin E 1041
Vincent, M. F., M. D. Erion, H. E. Gruber, G. Van den Berghe: Hypoglycaemic effect of AICAriboside in mice 1148
Virsolvy-Vergine, A., G. Salazar, R. Sillard, L. Denoroy, V. Mutt, D. Bataille: Endosulfine, endogenous ligand for the sulphonylurea receptor: isolation from porcine brain and partial structural determination of the α form 135
Wang, R. N., L. Bouwens, G. Klöppel: Beta-cell growth in adolescent and adult rats treated with streptozotocin during the neonatal period 548
Weston, P. J., R. B. Panerai, A. McCullough, P. G. McNally, M. A. James, J. F. Potter, H. Thurston, J. D. Swales: Assessment of baroreceptor-cardiac reflex sensitivity using time domain analysis in patients with IDDM and the relation to left ventricular mass index 1385
Winlove, C. P., K. H. Parker, N. C. Avery, A. J. Bailey: Interactions of elastin and aorta with sugars in vitro and their effects on biochemical and physical properties 1131
Worm, D., A. Handberg, E. Hoppe, J. Vinten, H. Beck-Nielsen: Decreased skeletal muscle phosphotyrosine phosphatase (PTPase) activity towards insulin receptors in insulin-resistant Zucker rats measured by delayed Europium fluorescence 142
Worm, D., J. Vinten, P. Staehr, J. E. Henriksen, A. Handberg, H. Beck-Nielsen: Altered basal and insulin-stimulated phosphotyrosine phosphatase (PTPase) activity in skeletal muscle from NIDDM patients compared with control subjects 1208
Yagihashi, N., N. Nishida, H. Geuk Seo, N. Taniguchi, S. Yagihashi: Expression of nitric oxide synthase in macula densa in streptozotocin diabetic rats 793
Yamada, K., N. Takane-Gyotoku, X. Yuan, F. Ichikawa, C. Inada, K. Nonaka: Mouse islet cell lysis mediated by interleukin-1-induced Fas 1306
Yamagata, K., J. Takeda, S. Menzel, X. Chen, S. Eng, L. R. Lim, P. Concannon, C. L. Hanis, R. S. Spielman, N. J. Cox, G. I. Bell: Searching for NIDDM susceptibility genes: studies of genes with triplet repeats expressed in skeletal muscle 725
Yamato, E., H. Ikegami, J.-I. Miyazaki, T. Ogihara: Identification of genes regulated by glucose in a pancreatic beta-cell line by a new method for subtraction of mRNA 1293
Zhang, Y., N. Wat, I. M. Stratton, M. G. Warren-Perry, M. Orho, L. Groop, R. C. Turner: UKPDS 19: Heterogeneity in NIDDM: separate contributions of IRS-1 and β3-adrenergic-receptor mutations to insulin resistance and obesity respectively with no evidence for glycogen synthase gene mutations 1505
Ziegler, D., P. Schadewaldt, A. Pour Mirza, R. Piolot, B. Schommartz, M. Reinhardt, H. Vosberg, H. Brösicke, F. A. Gries: [^{13}C]Octanoic acid breath test for non-invasive assessment of gastric emptying in diabetic patients: validation and relationship to gastric symptoms and cardiovascular autonomic function 823
Zierath, J. R., A. Handberg, M. Tally, H. Wallberg-Henriksson: C-peptide stimulates glucose transport in isolated human skeletal muscle independent of insulin receptor and tyrosine kinase activation 306
Zierath, J. R., L. He, A. Gumà, E. Odegaard Wahlström, A. Klip, H. Wallberg-Henriksson: Insulin action on glucose transport and plasma membrane GLUT4 content in skeletal muscle from patients with NIDDM 1180
Ziv, E., R. Kalman, K. Hershkop, V. Barash, E. Shafrir, H. Bar-On: Insulin resistance in the NIDDM model *Psammomys obesus* in the normoglycaemic, normoinsulinaemic state 1269

Rapid communications

Earle, K. A., M. Mishra, A. Morocutti, D. Barnes, E. Stephens, J. Chambers, G. C. Viberti: Microalbuminuria as a marker of silent myocardial ischaemia in IDDM patients 854
Fonteles, M. C., L. C. Huang, J. Larner: Infusion of pH 2.0 D-chiro-inositol glycan insulin putative mediator normalizes plasma glucose in streptozotocin diabetic rats at a dose equivalent to insulin without inducing hypoglycaemia 731
Fujisawa, T., H. Ikegami, E. Yamato, K. Takekawa, Y. Nakagawa, Y. Hamada, T. Oga, H. Ueda, M. Shintani, M. Fukuda, T. Ogihara: Association of Trp64Arg mutation of the β3-adrenergic-receptor with NIDDM and body weight gain 349
Koefoed Theil, P., T. Hansen, M. Larsen, O. Pedersen, H. Lund-Andersen: Lens autofluorescence in increased in newly diagnosed patients with NIDDM 1524
Li, L. S., F. Lönnqvist, H. Luthman, P. Arner: Phenotypic characterization of the Trp64Arg polymorphism in the beta$_3$-adrenergic receptor gene in normal weight and obese subjects 857
Malaisse, W. J., L. Ladrière, T.-M. Zhang, I. Verbruggen, R. Willem: Enzyme-to-enzyme channelling of symmetric Krebs cycle intermediates in pancreatic islet cells 990

Malmström, R., M.-R. Taskinen, S.-L. Karonen, H. Yki-Järvinen: Insulin increases plasma leptin concentrations in normal subjects and patients with NIDDM 993
Rothe, H., V. Burkart, A. Faust, H. Kolb: Interleukin-12 gene expression is associated with rapid development of diabetes mellitus in non-obese diabetic mice 119
Roy, S., M. Lorenzi: Early biosynthetic changes in the diabetic-like retinopathy of galactose-fed rats 735
Sainsbury, A., I. Cusin, P. Doyle, F. Rohner-Jeanrenaud, B. Jeanrenaud: Intracerebroventricular administration of neuropeptide Y to normal rats increases *obese* gene expression in white adipose tissue 353
Sakura, H., N. Wat, V. Horton, H. Millns, R. C. Turner, F. M. Ashcroft: Sequence variations in the human Kir6.2 gene, a subunit of the beta-cell ATP-sensitive K-channel: no association with NIDDM in white Caucasian subjects or evidence of abnormal function when expressed in vitro 1233
Shintani, M., H. Ikegami, E. Yamato, Y. Kawaguchi, T. Fujisawa, Y. Nakagawa, Y. Hamada, H. Ueda, T. Miki, T. Ogihara: A novel microsatellite polymorphism in the human *OB* gene: a highly polymorphic marker for linkage analysis 1398
Suzuki, Y., T. Muramatsu, M. Taniyama, Y. Atsumi, R. Kawaguchi, S. Higuchi, K. Hosokawa, T. Asahina, C. Murata, K. Matsuoka: Association of aldehyde dehydrogenase with inheritance of NIDDM 1115

For debates

Bouchard, C.: The causes of obesity: advances in molecular biology but stagnation on the genetic front 1532
Caumo, A., P. Vicini, C. Cobelli: Is the minimal model too minimal? 997
Ceriello, A., E. Motz: Prevention of vascular events in diabetes mellitus: which "antithrombotic" therapy? 1405
Cimminiello, C., M. Milani: Diabetes mellitus and peripheral vascular disease: is aspirin effective in preventing vascular events? 1402
Cominacini, L., U. Garbin, V. Lo Cascio: The need for a 'free radical initiative' 364
Eriksson, U. J.: Lifelong consequences of metabolic adaptations in utero? 1123
Guerre-Millo, M., B. Staels, J. Auwerx: New insights into obesity genes 1528
Lönnroth, P.: Can hypoglycaemia be predicted before its onset? 613
Maggs, D.: Can hypoglycaemia be predicted before its onset? (Comment) 615
Paolisso, G., D. Giugliano: Oxidative stress and insulin action: is there a relationship? 357
Phillips, D. I. W.: Insulin resistance as a programmed response to fetal undernutrition 1119
Pickkers, P., M. Schachter, A. D. Hughes, M. D. Feher, P. S. Sever: Thiazide-induced hyperglycaemia: a role for calcium-activated potassium channels? 861
Porta, M.: Endothelium: the main actor in the remodelling of the retinal microvasculature in diabetes 739
Purdy, L. P., B. E. Metzger: Influences of the intrauterine metabolic environment on adult disease: what may we infer from size at birth? 1126
Smits, P.: Role of potassium channels in the modulation of insulin release 865
Sternberg, F., C. Meyerhoff, F. J. Mennel, H. Mayer, F. Bischof, E. F. Pfeiffer: Does fall in tissue glucose precede fall in blood glucose? 609
Tooke, J. E.: Endothelium: the main actor or choreographer in the remodelling of the retinal microvasculature in diabetes? 745
Yudkin, J. S.: Assessing the evidence on aspirin in diabetes mellitus. Gemini or Libra; lumping or splitting; surrogate or hard; low or high; interventionist or nihilist 1407

Letters to the editors

Awata, T., T. Izumida, C. Kikuchi, S. Katayama: Response from the authors 373
Barthelow Classen, J., D. C. Classen: Vaccines modulate IDDM 500
Baum, H., M. Peakman, M. N. Norazmi, D. Vergani: Molecular mimicry and the T-cell repertoire 246
Bender, R.: The effect of cholesterol-lowering therapy on the progression of diabetic nephropathy is unproved 368
Berlini, C., M. Maioli, P. Fresu, G. Tonolo, M. Pirastu, M. Maioli: A new missense mutation in the glucokinase gene in an Italian Mody family 1413
Bognetti, E., A. Zoja, F. Meschi, P. L. Paesano, G. Chiumello: Relationship between kidney volume, microalbuminuria and duration of diabetes mellitus 1409
Ceriello, A., M. Pirisi: Response from the authors 1003
Cominacini, L., A. Fratta Pasini, U. Garbin, V. Lo Cascio: Response from the authors 869
Cominacini, L., U. Garbin, A. Fratta Pasini, V. Lo Cascio: Increased levels of plasma ELAM-1, ICAM-1 and VCAM-1 in NIDDM: possible role of oxidized LDL 1244
Dahlquist, G., L. Gothefors: Response from the authors 502
DeSilva, M. G., H.-S. Jun, J.-W. Yoon, A. L. Notkins, M. S. Lan: Autoantibodies to IA-2 not detected in NOD mice or BB rats 1237
Ebeling, P., J. A. Tuominen, V. A. Koivisto: Insulin analogues and carcinoma of the breast 124
Fasching, P., W. Waldhäusl, O. F. Wagner: Elevated circulating adhesion molecules in NIDDM – potential mediators in diabetic macroangiopathy 1242
Foulis, A. K.: Interferon-alpha and IDDM: comment 127
Fujisawa, T., H. Ikegami, E. Yamato, T. Ogihara: Response from the authors 1410
Fujisawa, T., H. Ikegami, Y. Kawaguchi, T. Ogihara: Response from the authors 1412
Ilonen, J., H. Reijonen, M. Knip, O. Simell: Population-based genetic screening for IDDM susceptibility as a source of HLA-genotyped control subjects 123
Imagawa, A., N. Itoh, T. Hanafusa, M. Waguri, M. Kuwajima, Y. Matsuzawa: Antibodies to glutamic acid decarboxylase induced by interferon-alpha therapy for chronic viral hepatitis 126
Jaksch, M., S. Hofmann, K. D. Gerbitz: Glucagon receptor gene mutation in NIDDM 248
Kiln, M. R.: Treatment of patients with human insulin 248
Klein, H. H.: Response from the authors 249
Knowler, W. C.: Association of Trp64Arg mutation of the β3-adrenergic receptor gene with NIDDM 1411
Lam, K. S. L.: Response from the authors 368
Lam, K. S. L., I. J. Lauder: Response from the authors 369
Lan, M. S., W. S. Modi, H. Xie, A. L. Notkins: Assignment of the IA-2 gene encoding an autoantigen in IDDM to chromosome 2q35 1001
Länne, T., Å. Rydén Ahlgren: Increased arterial stiffness in IDDM women – methodological considerations 871
Lehmann, E. D., K. D. Hopkins, R. G. Gosling: Increased aortic stiffness in women with NIDDM 870
Lithner, F.: Diabetes mellitus and Alzheimer's disease 1242
Lorini, R., M. Vanelli: Normal values of first-phase insulin response to intravenous glucose in healthy Italian children and adolescents 370
Martin, S., V. Lampasona, M. Dosch, M. Pietropaolo: Islet cell autoantigen 69 antibodies in IDDM 747
Mizota, M., Y. Uchigata, S. Moriyama, K. Tokunaga, N. Matsuura, J. Miura, T. Juji, Y. Omori: Age-dependent asso-

ciation of HLA-A24 in Japanese IDDM patients 371
Møller, N., J. Frystyk, C. Skjærbæk, H. B. Pedersen, C. Christensen, O. Schmitz, A. Gee, A. Gjedde, J. Zapf, H. Ørskov: Systemic and regional tumour metabolism in a patient with non-islet cell tumour hypoglycaemia: role of increased levels of free insulin-like growth factors 1534
Momiyama, Y., Y. Suzuki, F. Ohsuzu, Y. Atsumi, K. Matsuoka, M. Kimura: Subclinical cardiac abnormality in mitochondrial diabetes mellitus, detected by ^{123}I-BMIPP scintigraphy 1412
Nakagawa, Y., K. Kawai, H. Suzuki, S. Ohashi, K. Yamashita: Glucagon-like peptide-1 (7–36) amide and glycogen synthesis in the liver 1241
Parving, H.-H.: Cholesterol-lowering therapy may retard the progression of diabetic nephropathy 367
Podar, T., A. Solntsev, M. Rahu, M. Leinsalu, J. Tuomilehto, R. E. LaPorte: Mortality of childhood-onset IDDM patients in Estonia 1238
Purrello, F.: Response from the authors 244
Scott, F. W., X.-B. Li, Y. H. Park, J.-W. Yoon: Response from the authors 619
Shimada, F., N. Hashimoto, A. Kanatsuka, R. L. Printz, D. K. Granner, H. Makino: Identification of the aminoacid polymorphisms in hexokinase II in Japanese subjects 123
Sjöholm, Å.: Interleukin-1β and GTP-binding proteins 243
Smith, M. A., L. M. Sayre, G. Perry: Diabetes mellitus and Alzheimer's disease: glycation as a biochemical link 247
Steiner, M., K. M. Reinhardt, A. D. Blann: Soluble adhesion molecules in NIDDM: increased concentration, relation to glycometabolic control and possible pathophysiological significance 868
Storlien, L. H., A. B. Jenkins: Laboratory chow-induced insulin resistance: a possible contributor to autoimmune type 1 diabetes in rodents 618
Uchigata, Y., M. Mizota, K. Yanagisawa, Y. Nakagawa, T. Otani, H. Ikegami, H. Yamada, J. Miura, T. Ogihara, N. Matsuura, Y. Omori: Large-scale study of an A-to-G transition at position 3243 of the mitochondrial gene and IDDM in Japanese patients 245
Vendemiale, G., I. Grattagliano, T. Micelli-Ferrari, L. Cardia, E. Altomare: Abnormal protein redox status in the lens and vitreous of diabetic subjects 1239
Wittmann, I., J. Nagy: Are insulin resistance and atherosclerosis the consequences of oxidative stress? 1002
Yamato, E., H. Ikegami, K. Takekawa, T. Fujisawa, Y. Nakagawa, Y. Hamada, H. Ueda, T. Ogihara: Internal marker for quantitative analysis of mRNA by reverse transcriptase-polymerase chain reaction in pancreatic beta cells 747
Yoshioka, K., T. Yoshida, N. Sakane, T. Umekawa, T. Takahashi, Y. Sakai, M. Kondo: Association of Trp64Arg mutation of the β3-adrenergic receptor gene with NIDDM, current and maximal body mass index 1410

Clinical trial design

Passa, Ph., G. Chatellier on behalf of the Diab-Hycar Study Group: The DIAB-HYCAR study 1662
Schrier, R. W., R. O. Estacio, B. Jeffers: Appropriate Blood Pressure Control in NIDDM (ABCD) Trial 1646
Steiner for the DAIS Project Group, Prepared by G.: The Diabetes Atherosclerosis Intervention Study (DAIS): a study conducted in cooperation with the World Health Organization 1655

Original studies

Bijlstra, P. J., J. A. C. J. den Arend, J. A. Lutterman, F. G. M. Russel, Th. Thien, P. Smits: Blockade of vascular ATP-sensitive potassium channels reduces the vasodilator response to ischaemia in humans 1562
Fioretto, P., M. Mauer, E. Brocco, M. Velussi, F. Frigato, B. Muollo, M. Sambataro, C. Abaterusso, B. Baggio, G. Crepaldi, R. Nosadini: Patterns of renal injury in NIDDM patients with microalbuminuria 1569
Hanefeld, M., S. Fischer, U. Julius, J. Schulze, U. Schwanebeck, H. Schmechel, H. J. Ziegelasch, J. Lindner, The DIS Group: Risk factors for myocardial infarction and death in newly detected NIDDM: the Diabetes Intervention Study, 11-year follow-up 1577
Hypertension in Diabetes Study Group: Hypertension in Diabetes Study IV. Therapeutic requirements to maintain tight blood pressure control 1554
Nauck, M. A., D. Wollschläger, J. Werner, J. J. Holst, C. Ørskov, W. Creutzfeldt, B. Willms: Effects of subcutaneous glucagon-like peptide 1 (GLP-1 [7–36 amide]) in patients with NIDDM 1546
Parving, H.-H., F. S. Nielsen, L. E. Bang, U. M. Smidt, T. L. Svendsen, J.-W. Chen, M.-A. Gall, P. Rossing: Macro-microangiopathy and endothelial dysfunction in NIDDM patients with and without diabetic nephropathy 1590
Standl, E., B. Balletshofer, B. Dahl, B. Weichenhain, H. Stiegler, A. Hörmann, R. Holle: Predictors of 10-year macro-vascular and overall mortality in patients with NIDDM: the Munich General Practitioner Project 1540
Vedel, P., J. Obel, F. S. Nielsen, L. E. Bang, T. L. Svendsen, O. B. Pedersen, H.-H. Parving: Glomerular hyperfiltration in microalbuminuric NIDDM patients 1584
Vestbo, E., E. M. Damsgaard, A. Frøland, C. E. Mogensen: Birth weight and cardiovascular risk factors in an epidemiological study 1598

Preface

Mogensen, C. E., R. Turner, C. Berne, R. Bilous: Improving prognosis in NIDDM patients 1539

Reports

Bertani, T., V. Gambara, G. Remuzzi: Structural basis of diabetic nephropathy in microalbuminuric NIDDM patients: a light microscopy study 1625
Birkeland, K. I., U. Rishaug, K. F. Hanssen, S. Vaaler: NIDDM: a rapid progressive disease. Results from a long-term, randomised, comparative study of insulin or sulphonylurea treatment 1629
Ebskov, B., L. Ebskov: Major lower limb amputation in diabetic patients: development during 1982 to 1993 1607
Lind, L., C. Berne, B. Andrén, H. Lithell: Relationship between diastolic hypertension and myocardial morphology and function in elderly males with diabetes mellitus 1603
Nyengaard, J. R., T. F. Bendtsen, C. E. Mogensen: Low birth weight – is it associated with few and small glomeruli in normal subjects and NIDDM patients? 1634
Olsen, S., C. E. Mogensen: How often is NIDDM complicated with non-diabetic renal disease? An analysis of renal biopsies and the literature 1638
Rosenkranz, B., V. Profozic, Z. Metelko, V. Mrzljak, C. Lange, V. Malerczyk: Pharmacokinetics and safety of glimepiride at clinically effective doses in diabetic patients with renal impairment 1617
Schnack, Ch., W. Hoffmann, P. Hopmeier, G. Schernthaner: Renal and metabolic effects of 1-year treatment with ramipril or atenolol in NIDDM patients with microalbuminuria 1611

Short reviews

Raine, A. E. G., R. W. Bilous: End-stage renal disease in NIDDM: a consequence of microangiopathy alone? 1673

Rosskamp, R.: Safety aspects of oral hypoglycaemic agents 1668
Ward, J. D.: Diabetic neuropathy in NIDDM 1676

Workshop Report

Berger, M., J. Köbberling, J. Windeler: Appraisal of effectiveness and potential therapeutic benefit of acarbose: a non-consensus conference 873

EASD News Section

1, 17, 21, 27, 31, 33, 35, 41, 67, 73

Book review

502

Errata

1004, 1130, 1245, 1414

List of referees

1679

Author index

1684

Subject index

1689

Contents of Volume 39

I